

## 【原著論文】

1. Ogawa, K.; Nakada, A.; Suzuki, H.; Tomita, O.; Higashi, M.; Saeki, A.; Kageyama, H.; Abe, R.\*: “Flux Synthesis of Layered Oxyhalide  $\text{Bi}_4\text{NbO}_8\text{Cl}$  Photocatalyst for Efficient Z-Scheme Water Splitting under Visible Light”, *ACS Appl. Mater. Interfaces*, 2018, DOI: 10.1021/acsami.8b06411
2. Suzuki, H.; Kunioku, H.; Higashi, M.; Tomita, O.; Kato, D.; Kageyama, H.; Abe, R.\*: “Lead Bismuth Oxyhalides  $\text{PbBiO}_2\text{X}$  ( $\text{X} = \text{Cl}, \text{Br}$ ) as Visible-Light-Responsive Photocatalysts for Water Oxidation: Role of Lone-Pair Electrons in Valence Band Engineering”, *Chem. Mater.*, **30**, 5862–5869 (2018).
3. Ogawa, K.; Tomita, O.; Takagi, K.; Nakada, A.; Higashi, M.; Abe, R.\*: “Improved Activity of Hydrothermally-Prepared  $\text{WO}_3$  Photocatalysts by Sodium Salt Additives”, *Chem. Lett.*, **47**, 985–988 (2018).
4. Kunioku, H.; Nakada, A.; Higashi, M.; Tomita, O.; Kageyama, H.\*; Abe, R.\*: “Improved water oxidation under visible light on oxyhalide  $\text{Bi}_4\text{MO}_8\text{X}$  ( $\text{M} = \text{Nb}, \text{Ta}$ ;  $\text{X} = \text{Cl}, \text{Br}$ ) photocatalysts prepared using excess halogen precursors”, *Sustainable Energy & Fuels*, **2**, 1474–1480 (2018).
5. Matsuoka, H.; Higashi, M.; Nakada, A.; Tomita, O.; Abe, R.\*: “Enhanced  $\text{H}_2$  evolution on  $\text{ZnIn}_2\text{S}_4$  Photocatalyst under Visible Light by Surface Modification with Metal Cyanoferrates”, *Chem. Lett.*, **47**, 941–944 (2018).
6. Suzuki, H.; Tomita, O.; Higashi, M.; Nakada, A.; Abe, R.\*: “Improved visible-light activity of nitrogen-doped layered niobate photocatalysts by  $\text{NH}_3$ -nitridation with KCl flux”, *Appl. Catal. B-Environ.*, **232**, 49–54 (2018).
7. Wang, Y.; Suzuki, H.; Xie, J.; Tomita, O.; Martin, D.; Higashi, M.; Kong, D.; Abe, R.\*; Tang, J.\*: “Mimicking Natural Photosynthesis: Solar to Renewable  $\text{H}_2$  Fuel Synthesis by Z-Scheme Water Splitting Systems”, *Chem. Rev.*, **118**, 5201–5241 (2018).
8. Kunioku, H.; Higashi, M.; Tomita, O.; Yabuuchi, M.; Kato, D.; Fujito, H.; Kageyama, H.\*; Abe, R.\*: “Strong hybridization between Bi-6s and O-2p orbitals in Sillén–Aurivillius perovskite  $\text{Bi}_4\text{MO}_8\text{X}$  ( $\text{M} = \text{Nb}, \text{Ta}$ ;  $\text{X} = \text{Cl}, \text{Br}$ ), visible light photocatalysts enabling stable water oxidation”, *J. Mater. Chem. A*, **6**, 3100–3107 (2018).
9. Suzuki, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “The First example of an oxide semiconductor photocatalyst consisting of a heptavalent cation: Visible-light-induced water oxidation on  $\text{M}_3\text{ReO}_8$ ”, *J. Mater. Chem. A*, **6**, 1991–1994 (2018).

10. Iwase, Y.; Tomita, O.; Naito, H.; Higashi, M.; Abe, R.\*: “Molybdenum-substituted polyoxometalate as stable shuttle redox mediator for visible light driven Z-scheme water splitting system”, *J. Photochem. Photobiol. A: Chem.*, **356**, 356, 347–354 (2018).
11. Suzuki, H.; Nitta, S.; Tomita, O.; Higashi, M.; Abe, R.\*: “Highly dispersed RuO<sub>2</sub> hydrates prepared via simple adsorption as efficient cocatalysts for visible-light-driven Z-scheme water splitting with an IO<sub>3</sub><sup>-</sup>/I<sup>-</sup> redox mediator”, *ACS Catal.*, **7**, 4336–4343 (2017).
12. Shirakawa, T.; Higashi, M.\*; Tomita, O.; Abe, R.\*: “Surface-modified metal sulfides as stable H<sub>2</sub>-evolving photocatalysts in Z-scheme water splitting with a [Fe(CN)<sub>6</sub>]<sup>3-/4-</sup> redox mediator under visible-light irradiation”, *Sustainable Energy & Fuels*, **1**, 1065–1073 (2017).
13. Suzuki, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “Tungstic acids H<sub>2</sub>WO<sub>4</sub> and H<sub>4</sub>WO<sub>5</sub> as stable photocatalysts for water oxidation under visible light”, *J. Mater. Chem. A*, **5**, 10280–10288 (2017).
14. Iwase, Y.; Tomita, O.; Higashi, M.; Abe, R.\*: “Enhanced oxygen evolution on visible light responsive TaON photocatalysts co-loaded with highly active Ru species for IO<sub>3</sub><sup>-</sup> reduction and Co species for water oxidation”, *Sustainable Energy & Fuels*, **1**, 748–754 (2017).
15. Homura, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “Fabrication of CuInS<sub>2</sub> Photocathodes on Carbon Microfiber Felt by Arc Plasma Deposition for Efficient Water Splitting Under Visible Light”, *Sustainable Energy & Fuels*, **1**, 699–709 (2017).
16. Kunioku, H.; Higashi, M.; Tassel, C.; Kato, D.; Tomita, O.; Kageyama, H.\*; Abe, R.\*: “Sillén–Aurivillius related Oxychloride Bi<sub>6</sub>NbWO<sub>14</sub>Cl as a Stable O<sub>2</sub>-evolving Photocatalyst in Z-scheme Water Splitting under Visible Light”, *Chem. Lett.*, **46**, 583–586 (2017).
17. Tomita, O.; Nitta, S.; Matsuta, Y.; Hosokawa, S.; Higashi M.; Abe R.\*: “Improved Photocatalytic Water Oxidation with Fe<sup>3+</sup>/Fe<sup>2+</sup> redox on Rectangular-Shaped WO<sub>3</sub> Particles with Specifically Exposed Crystal Faces via Hydrothermal Synthesis”, *Chem Lett.*, **46**, 221–224 (2017).
18. Suzuki, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “Design of nitrogen-doped layered tantalates for non-sacrificial and selective hydrogen evolution from water under visible light”, *J. Mater. Chem. A*, **4**, 14444–14452 (2016).
19. Tsuji, K.; Tomita, O.; Higashi, M.; Abe, R.\*: “Manganese-Substituted Polyoxometalate as an Effective Shuttle Redox Mediator in Z-Scheme Water Splitting under Visible Light”,

*ChemSusChem*, **9**, 2201–2208 (2016).

20. Higashi, M.; Tomita, O.; Abe, R.\*: “Porous TaON Photoanodes Loaded with Cobalt-Based Cocatalysts for Efficient and Stable Water Oxidation Under Visible Light”, *Top. Catal.*, **59**, 740–749 (2016).
21. Noguchi, H.; Yamanaka, Y.; Tomita, O.; Higashi, M.; Abe, R.\*: “Development of Cocatalysts for Efficient Water Oxidation over a TaON Photoanode under Visible Light Irradiation”, *ELCAS Journal*, **1**, 70–72 (2016).
22. Tomita, O.; Otsubo, T.; Higashi, M.; Ohtani, B.; Abe, R.\*: “Partial Oxidation of Alcohols on Visible Light Responsive WO<sub>3</sub> Photocatalysts Loaded with Palladium Oxide Cocatalyst”, *ACS Catal.*, **6**, 1134–1144 (2016).
23. Higashi, M.; Yamanaka, Y.; Tomita, O.; Abe, R.\*: “Fabrication of cation-doped BaTaO<sub>2</sub>N photoanodes for efficient photoelectrochemical water splitting under visible light irradiation”, *APL Mater.*, **3**, 104418 (2015).
24. Suzuki, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “Z-scheme Water Splitting into H<sub>2</sub> and O<sub>2</sub> Using Tungstic Acid as Oxygen-evolving Photocatalyst under Visible Light Irradiation”, *Chem. Lett.*, **44**, 1134–1136 (2015).
25. Nakamura, A.; Tomita, O.; Higashi, M.; Hosokawa, H.; Tanaka, T.; Abe, R.\*: “Solvothermal Synthesis of Ca<sub>2</sub>Nb<sub>2</sub>O<sub>7</sub> Fine Particles and Their High Activity for Photocatalytic Water Splitting into H<sub>2</sub> and O<sub>2</sub> under UV Light Irradiation”, *Chem. Lett.*, **44**, 1001–1003 (2015).
26. Suzuki, H.; Tomita, O.; Higashi, M.; Abe, R.\*: “Two-step photocatalytic water splitting into H<sub>2</sub> and O<sub>2</sub> using layered metal oxide KCa<sub>2</sub>Nb<sub>3</sub>O<sub>10</sub> and its derivatives as O<sub>2</sub>-evolving photocatalysts with IO<sub>3</sub><sup>-</sup>/I<sup>-</sup> or Fe<sup>3+</sup>/Fe<sup>2+</sup> redox mediator”, *Catal. Sci. Technol.*, **5**, 2640–2648 (2015).
27. Tomita, O.; Ohtani, B.; Abe, R.\*: “Highly selective phenol production from benzene on a platinum-loaded tungsten oxide photocatalyst with water and molecular oxygen: selective oxidation of water by holes for generating hydroxyl radical as predominant source of hydroxyl group”, *Catal. Sci. Technol.*, **4**, 3850–3860 (2014).
28. Tomita, O.; Abe, R.\*; Ohtani, B.: “Direct Synthesis of Phenol from Benzene over Platinum-loaded Tungsten(VI) Oxide Photocatalysts with Water and Molecular Oxygen”, *Chem. Lett.*, **40**, 1405–1407 (2011).

**【解説】**

1. 阿部 竜、富田 修、大谷 文章、「酸化タングステン系光触媒を用いたベンゼン環の水酸化反応」、*触媒 (触媒学会)*、Vol. 54、No. 5、pp. 314–320 (2012)